

Note

M9200

Make your store operation light and smooth



Ultra Industrial Design

M9200 has exquisite industrial design with unique base design that enables the terminal to be used in more scenarios.




High-function Printing

The first terminal to support label printing in ZOLON family. Via the dual-printing mode and high voltage printer, the terminal can fit in more business and non-business scenarios .

Simplify Operation Process

With the fully GMS certified google services, the terminal is capable of the use and development of all third-party applications, then we can offer a seamless, personalized experience across all channels in daily business running.



Specifications

Model Name: M9200



Operating System

Android™12 Go Edition
GMS Certified
with Supporting UNIPHIZ UI



Processor

Qualcomm Quad-Core
Cortex® - A53 2.0GHz



Memory

LPDDR4 2GB + eMMC 32GB
External:
microSD Card slot (Up to 256GB)



Displays

5.5" 720 × 1440 px, IPS LCD,
400nits, Multi - Touch,
Anti - Fingerprint coating,
Mohs 6



Cameras

Optional:
Front Camera: 2MP Fix Focus
Rear Dual-Camera: 2
MP Auto Focus (Optional: 5MP) +
Barcode Scanner



Comms Configurations

4G / 3G / GPRS
Wi-Fi® 2.4GHz / 5GHz
Bluetooth® 5.0



Audio

Audio Speaker
Optional: Dual Microphone



Sensors

Light Sensor | G-Sensor |
Vibration Motor |
Flashlight



Card Readers

Native Android NFC
(Card Reader, Card Emulation)



Power

Input: 100 - 240V AC, 0.5A
Output: 5.0V DC, 2.0A



Battery

Li-ion Polymer
7.6V / 2800mAh,
Field Replaceable



Buttons

Power Button
2*Volume Buttons
Scan Button



Printer

Paper Roll: 58mm width, 40mm diameter
Optional: Label Printing,
Paper Roll: 30-58mm width, 40mm diameter



SIM/SAM

2*SAM + 1*SIM, or 1*SAM + 2*SIM
eSIM (optional)



Ports

1* Type-C, OTG
1*Pogo Pin (2-Pin)



Drop Height

1.2m



Physical

214 × 80 × 51.5mm
350g



Environmental

Operating Temperature: -10°C ~ 45°C (14°F ~ 113°F)
Storage Temperature: -20°C ~ 70°C (-4°F ~ 158°F)
Relative Humidity: 5% ~ 96%, non-condensing



Accessories

Optional: Wrist Band |
Charging Base

Specifications

Model Name: M9200 N



Operating System

Android™12 Go Edition
GMS Certified
with Supporting UNIPHIZ UI



Displays

5.5" 720 × 1440 px, IPS LCD,
400nits, Multi - Touch,
Anti - Fingerprint coating,
Mohs 6



Processor

Qualcomm Quad-Core
Cortex® - A53 2.0GHz



Memory

LPDDR4 2GB + eMMC 32GB
External:
microSD Card slot (Up to 256GB)



Audio

Audio Speaker
Optional: Dual Microphone



Sensors

Light Sensor | G-Sensor |
Vibration Motor |
Flashlight



Card Readers

Native Android NFC
(Card Reader, Card Emulation)



Power

Input: 100 - 240V AC, 0.5A
Output: 5.0V DC, 2.0A



Battery

Li-ion Polymer
7.6V / 2000mAh,
Field Replaceable



Buttons

Power Button
2*Volume Buttons
Scan Button



Drop Height

1.2m



Ports

1* Type-C, OTG
1*Pogo Pin (2-Pin)



SIM/SAM

2*SAM



Environmental

Operating Temperature:
-10°C ~ 45°C (14°F ~ 113°F)
Storage Temperature:
-20°C ~ 70°C (-4°F ~ 158°F)
Relative Humidity:
5% ~ 96%, non-condensing



Physical

160 × 76 × 15mm
235g



Accessories

Optional: Wrist Band |
Charging Base